





For The Control of Banks and Two  
Spotted Mites in Corn in Louisiana by  
air or ground



# PROPERTIES

- Common Name: **HEXYTHIAZOX**
- Formulated as: **Odorless 1EC**
- **Group 10 A Acaricide**
- **Rate: 10-16 oz/A is label while 10-12 oz is common up to 24 oz/ season**
- **One application per season.**



# PROPERTIES

- PHI: 45 days
- Mode of action: Growth inhibitor interferes with molting process
- Timing: At the onset of a population
- Control: Immature motiles, reduces egg production and viability by direct application or contact.



# PROPERTIES

- EXCELLENT TRASLAMINAR ACTIVITY
- RAIN FAST: 1-2 hours after application or residue has dried
- Not systemic but 50-60 days residual is common if conditions are favorable
- Very very easy on beneficials




# PROPERTIES

- In addition to Bank and Two Sot mites Onager has excellent activity on Pacific, Citrus, Red mite and other tetranychid mites.
- MSO Adjuvant.
- Is compatible with other insecticides and fungicides.
- Biggest tank mix partner in Texas has been Round Up.




# IMPACT ON BANKS MITES @ 6 DAT



Dr. Ed Bynum TX A&M 2010



# Impact on Predators



Dr. Ed Bynum of TX A&M 2010







# THANKS

KEVIN STEWART

RICHARD ARNOLD

KEITH MAJURE