


# **CHEMINOVA, INC.**

**RICHARD MYERS**  
**WEST MONROE, LA**


 **CHEMINOVA**  
HELPING YOU GROW

 **TOPGUARD**<sup>®</sup>  
FUNGICIDE

 **DECLARE!**<sup>™</sup>  
INSECTICIDE

 **RHYTHM**<sup>™</sup>  
HERBICIDE

 **DAWN**<sup>™</sup>  
HERBICIDE



# FYFANON PLUS ULV

COTTON

INSECT


CONTROL



# FYFANON PLUS ULV

**Formulation is 9.5 lbs ai/gal of malathion +  
0.15 lbs ai/gal. of gamma cyhalothrin**

- **Rates for plant bugs 12-16 fl oz/A**
- **16 fl oz/A ( 1 gal. to 8 ac.) is preferred use rate  
1.18 lbs of malathion + 0.019 lbs of GCH**
- **Aerial application at volume 32 fl oz/A**
  - **16 oz. FYFANON PLUS ULV and**
  - **16 oz. refined vegetable oil**
  - **Such as: Amigo (CPS), Soydex (Helena)  
Soy-Surf (Sanders) or other approved  
vegetable oils.**



# FYFANON PLUS ULV

Two years of field trials-AR, LA, MS


No issues with formulation

No crop phyto

Not suitable for PGR at least PIX


# FYFANON PLUS ULV-16 Fl Oz/A-2010 MS

Tarnished Plant Bugs Adults and Nymphs Through Flowering




(1=Centric 1.7 oz), (2=Centric 1.7 oz), (3=Bidrin 4 oz + Diamond 5 oz), (4=ULV app), (5=Brigade 5 oz + Acephate .75 lb)  
(6= Acephate 1 lb + Diamond 5 oz), (7=ULV app), (8=Brigade 5 oz + Acephate 0.5 lb), (9=Brigade 5 oz + Acephate 0.8 lb)





# FYFANON PLUS ULV

- \*Nymph + adult activity of plant bugs
- \*7-10-days of effective residual activity  
plant bugs.
- \*Integrates into a plant bug program
- \*Controls other insects-broad spectrum




# FYFANON PLUS ULV

Future labeling opportunities  
for use on corn, rice,  
sorghum, soybean, wheat  
and pasture.



# FYFANON PLUS ULV 2011 Availability

- **55 gallon drums**
- **220 gallons per pallet**
- **Approximately 65,000 treated acres**



THANK YOU FOR SUPPORTING  
CHEMINOVA

